



LABORATORY REFRIGERATORS



Thermoline
S C I E N T I F I C

SPARK PROOF LABORATORY REFRIGERATORS

(2°C TO 8°C)

(Image: TR-400-SP-1-SD)



Spark Proof Laboratory Refrigerators

Frost Free Fridges with Digital Temperature Control

- Fitted with digital controller
- High and low alarms standard
- Key lockable doors
- Easy installation - plug in and set temperature
- Internal spark proof design
- Frost free operation
- BMS fitted standard

**Note: Only the interior is spark proof
under normal operation.**

Maximise your cold storage space with Thermoline's spark proof fridge range.

Thermoline's spark proof refrigerators are fitted with a digital controller, high and low alarms, and are supplied standard castors for easy moving around the lab.

The interior of this freezer is classified as 'spark free' as it does not have any wiring (such as a thermostat or light) which could ignite any vapours from hazardous materials which may be stored inside.

Product Features

External connection for BMS (in-house building management system)

Lockable doors

Added benefit of digital control with indication of internal conditions

Safety Features

High and Low Alarms



(Image: TR-150-SP-1-SD)

Model	Fridge/Freezer Models Stacked		
	TR-160-SP-1-SD	TR-260-SP-1-SD	TRF-DUAL-SP
Capacity (litres)	160	260	160 / 160
Type	Upright		
Temperature Range	2°C to 8°C		
Storage Shelves	2	4	2 / 2
External Dimensions (WxDxH mm)	600x600x850	600x600x1850	600x600x1650
Internal Dimensions (WxDxH mm)	510x485x620	510x485x1620	-
External Material	White Powder Coated Steel		
Internal Material	White Plastic		
Electrical	230V, 1A	230V, 2A	230V, 1A
Weight (kg)	44	74	90

Thermoline Scientific have been manufacturing and distributing high quality laboratory and scientific testing equipment since 1970. Over this time, Thermoline has grown to be a leading brand in the science industry, with our equipment being used in small and large Hospitals, Universities and Research Laboratories across Australia and the Asia Pacific region.

We're proud to say that we are 100% Australian owned and operated.

Head Office Phone (02) 9604 3911

Head Office Fax (02) 9725 1706

Email hello@thermoline.com.au

Web www.thermoline.com.au

