




# NLMi REFRIGERATOR INCUBATOR

**NULINE**  
REFRIGERATION

## FEATURES

- Top Mounted System
- Five (5) rows of PVC Coated Shelves behind each door
- Interior Lighting LED
- Castors
- Automatic Water Disposal
- Digital Display with Built-in Alarms
- Hi/Lo Readout



|   |  |
|---|--|
|  | 2°C to 40°C  |
|  | 400 L<br>700 L<br>1000 L   |
|  | 600w x 620d x 1915h<br>870w x 700d x 2100h<br>1200w x 700d x 2100h |



# NLMi REFRIGERATOR INCUBATOR



| Model   | NLMi400/1                | NLMi700/1        | NLMi1000/2        |
|---|--------------------------|------------------|-------------------|
| Gross Capacity                                      | 400 L                    | 700 L            | 1000 L            |
| External Dimensions in mm (w/d/h including castors) | 600 x 620 x 1915         | 870 x 700 x 2100 | 1200 x 700 x 2100 |
| Internal Dimensions in mm (w/d/h)                   | 500 x 470 x 1435         | 770 x 550 x 1555 | 1100 x 550 x 1555 |
| Packed Dimensions in mm (w/d/h including pallet)    | 700 x 720 x 2065         | 970 x 800 x 2250 | 1300 x 800 x 2250 |
| Gross Weight - kg (packed weight)                   | 102                      | 112              | 137               |
| Net Weight - kg                                     | 95                       | 95               | 125               |
| Voltage   | 240V                     |                  |                   |
| Temperature Range                                   | 2°C to 40°C              |                  |                   |
| Ambient Temperature Range                           | 10°C to 32°C             |                  |                   |
| Temperature Fluctuation                             | ±1.5°C                   |                  |                   |
| Refrigerant   | R134a                    |                  |                   |
| Cooling System / Defrost                            | Fan Forced / Automatic   |                  |                   |
| Exterior Cabinet Finish                             | White Colourbond         |                  |                   |
| Inner Liner Material                                | White Colourbond         |                  |                   |
| Door  | Solid / Glass E-Glass    |                  |                   |
| Door Hinge  | RH                       |                  | LH / RH           |
| Door Handle   | Lockable                 |                  |                   |
| Type of Controller                                  | Digital / Microprocessor |                  |                   |
| Temperature Display                                 | External                 |                  |                   |
| Data Logger   | Optional                 |                  |                   |
| Door Ajar Alarms                                    | Optional                 |                  |                   |
| High and Low Readout                                | Visual / Audible         |                  |                   |
| BMS Connectivity                                    |                          |                  |                   |
| (BMS Connectivity for Remote Alarms only)           | Optional                 |                  |                   |
| (BMS Connectivity for 4-20mA Transmitter)           | Optional                 |                  |                   |
| Port Entry  | Optional                 |                  |                   |
| Battery Back-up for Controller                      | N/A                      |                  |                   |
| Power Requirement                                   | 10amp GPO                |                  |                   |
| Castors   | Yes                      |                  |                   |
| Adjustable Shelves                                  | 5                        |                  |                   |
| Usable Shelf Area in mm(w/d)                        | 480 x 450                | 750 x 530        | 1080 x 530        |
| Light   | LED                      |                  |                   |

Nuline Refrigeration reserves the right to alter the specifications without prior notice.

# AUSTRALIAN MADE

The logo for Nuline Refrigeration is contained within a blue oval with a white border. The word "NULINE" is written in a large, white, sans-serif font, and the word "REFRIGERATION" is written in a smaller, white, sans-serif font directly below it.

**NULINE**  
REFRIGERATION

Since 1985, Nuline Refrigeration has been manufacturing refrigerators and freezer cabinets for the Australian market. Our specialised range of biomedical cabinets are used extensively across the hospitals, medical centres, pharmacies and laboratories.

Focusing on customer needs, we manufacture, import and customise the biomedical cabinets from a range of selected global suppliers. Our factory is based in Melbourne, Australia and we are proudly 100% Australian owned business.

Each of our manufactured cabinets are custom built based on customer orders by our craftsmen right here in Melbourne.

We have extensive capability to design, engineer and build a range of refrigerated cabinets for you. Our standard product range includes, fridges, freezers (up to  $-40^{\circ}\text{C}$ ), blanket warmer, mortuary refrigerators and refrigerated incubators.

